


BAYLINER®

THE WORLD LEADER IN PLEASURE BOATS . . .


1700 Capri Bowrider (CV)

1700 Capri Bowrider

Boat, Motor and Trailer Package

SPECIFICATIONS

	Std	Metric
Centerline length	16'7"	5.05m
Beam	5'10"	1.78m
Approximate weight (w/50 hp Force OB)	1040 lbs	472kg
Fuel capacity (carry on)	6 gal	22L
Draft with engine up	10-1/2"	.27m
Draft with engine down	2'1"	.64m
Bridge clearance	3'0"	.91m
Length (overall) on Escort™ trailer	20'2"	6.15m
Width (overall) on Escort™ trailer	5'10"	1.78m
Deadrise at transom	18°	18°

**CANVAS**

Convertible top with boot

STANDARD FEATURES AND EQUIPMENT

Alarm, engine high temperature
 Aluminum gunwale trim (anodized), with vinyl guard
 Beverage holders (4)
 Bow cushions with backrest and stowage below
 Cleats (3), mooring
 Engine controls, side-mount
 Eyes (3), stainless steel
 Fuel tank (1), 6 gallon, carry-on
 Handrails, bow, stainless steel
 Ignition safety switch, with lanyard
 Navigation lights
 Sleeper seats (2), convert to lounges
 Side panels, padded
 Speedometer
 Steering wheel, aluminum, with padded grip
 Steering, rotary
 Step pads (2), boarding
 Stereo, AM/FM cassette with weather cover and (2) all-weather speakers
 Swim platform, integral, with retractable ladder
 Windshield, tempered safety glass, with opening center walk-thru section

BAYLINER®**THE WORLD LEADER IN PLEASURE BOATS . . .****1700 Capri Bowrider (CV)****CONSTRUCTION FEATURES**

Five-year structural hull warranty
Carpeting, exterior-rated heavy-duty polyester
Electrical system, color-coded
Foam flotation
Hand-laid fiberglass
Meets or exceeds all applicable U.S. Coast Guard
safety standards
Sequential Lift Hull™ with Delta step pad
Unitized construction with glassed-in bulkheads
Vinyls, heavy-duty marine-grade, 27 oz.

OPTIONS

O-SQ Shrink Pack Special
O-SU Shrink Pack

POWER

50 hp Force outboard	Std
70 hp Force outboard	Avail

TRAILER

Painted Escort™ trailer	Std
Galvanized Escort™ trailer	Avail

US MARINE PARTS ACCESSORIES

(Only available through US Marine Parts
Department)

Compass
Escort™ trailer brake kit
Hourmeter
Mooring cover
Outboard motor bracket
Tachometer
Windshield wiper kit

FORCE POWER ACCESSORIES


(Only available through Force Accessories,
Fond du Lac, WI)
Power trim and tilt

ADDITIONAL INTERNATIONAL OPTIONS

O-CO Canadian Export
O-SP International Shrink Pack

BAYLINER®

THE WORLD LEADER IN PLEASURE BOATS...


1800 Capri Bowrider (CR)

1800 Capri Bowrider

Boat, Motor and Trailer Package

SPECIFICATIONS

	Std	Metric
Centerline length	17'10"	5.44m
Beam	7'0"	2.13m
Approximate weight (w/90 hp Force OB)	1500 lbs	680kg
Fuel capacity	30 gal	113L
Draft with engine up	1'4"	.41m
Draft with engine down	2'9"	.84m
Bridge clearance	3'1"	.94m
Length (overall) on Escort™ trailer	21'7"	6.58m
Width (overall) on Escort™ trailer	8'0"	2.44m
Deadrise at transom	18°	18°

**CANVAS**

Bow well cover
Convertible top with boot
Side curtains
Slant cockpit cover

STANDARD FEATURES AND EQUIPMENT

Alarm, engine high temperature
Aluminum gunwale trim (anodized), with vinyl guard
Beverage holders (6)
Bilge pump (1), 360 gph
Cleats (3), mooring
Cooler, portable (below starboard jumpseat)
Dash console, custom-formed, nonglare
Engine controls, side-mount
Eyes (3), stainless steel
Glovebox, lockable
Horn, 12v
Ignition safety switch, with lanyard
Instrumentation, analog, includes speedometer and fuel gauge
Jump seats (2), aft, with stowage below
Navigation lights
Rails, bow, stainless steel
Seating, bow, with backrest and stowage below
Side panels, padded, with shelf stowage
Sleeper seats (2), convert to lounges
Steering wheel, aluminum, with padded grip
Steering, rack-and-pinion
Step pads (2), boarding
Stereo, AM/FM cassette with weather cover and (2) all-weather speakers
Stowage compartments (2), lower side panels
Stowage in floor (vented)
Stowage shelves (under consoles)

BAYLINER®**THE WORLD LEADER IN PLEASURE BOATS...****1800 Capri Bowrider (CR)**

Swim platform, integral, with handrail and retracting ladder

Windshield, tempered safety glass, with opening center walk-thru section

CONSTRUCTION FEATURES

Five-year structural hull warranty

Carpeting, exterior-rated heavy-duty polyester

Electrical system, color-coded

Foam flotation

Hand-laid fiberglass

Meets or exceeds all applicable U.S. Coast Guard safety standards

Sequential Lift Hull™ with Delta step pad

Unitized construction with glassed-in bulkheads

Vinyls, heavy-duty marine-grade, 27 oz.

OPTIONS

O-SQ Shrink Pack Special

O-SU Shrink Pack

POWER

90 hp Force outboard Std

120 hp Force outboard Avail

TRAILER

Painted Escort™ trailer Std

Galvanized Escort™ trailer Avail

US MARINE PARTS ACCESSORIES

(Only available through US Marine Parts Department)

Compass

Escort™ trailer brake kit

Hour meter

Mooring cover

Outboard motor bracket

Tachometer

Windshield wiper kit

FORCE POWER ACCESSORIES

(Only available through Force Accessories, Fond du Lac, WI)

Power trim and tilt


ADDITIONAL INTERNATIONAL OPTIONS

O-CO Canadian Export

O-SP International Shrink Pack

BAYLINER

THE WORLD LEADER IN PLEASURE BOATS...


**1850 Capri Bowrider (CS)**

1850 Capri Bowrider

Boat, Motor and Trailer Package

SPECIFICATIONS

	Std	Metric
Centerline length	17'10"	5.44m
Beam	7'0"	2.13m
Approximate weight (w/3.0L Merc engine)	1880 lbs	853kg
Fuel capacity	30 gal	113L
Draft with drive up	1'4"	.41m
Draft with drive down	2'9"	.84m
Bridge clearance	3'1"	.94m
Length (overall) on Escort™ trailer	21'7"	6.58m
Width (overall) on Escort™ trailer	8'0"	2.44m
Deadrise at transom	18°	18°

**CANVAS**

Bow well cover
Convertible top
Side curtains
Slant cockpit cover

STANDARD FEATURES AND EQUIPMENT

Aluminum gunwale trim (anodized), with vinyl guard
Beverage holders (4)
Bilge pump (1), 360 gph
Blower for forced engine compartment ventilation
Canvas storage, ventilated
Cleats: (3) mooring, (1) ski tow
Cooler, portable (below port jump seat)
Dash console, custom-formed, nonglare
Engine controls, side-mount, with trim and tilt switches in handle
Engine cover, custom-molded, with beverage holders (2), and pad
Eyes (3), stainless steel
Fuel fill (aft)
Glovebox, lockable
Horn, 12v
Ignition safety switch, with lanyard
Instrumentation, analog, includes tachometer, speedometer, temperature gauge, fuel gauge, oil pressure gauge and voltmeter
Jump seats (2), aft, with stowage below
Lower engine cover, slide-out, for convenient access
Navigation lights
Power trim and tilt
Rails, stainless steel
Seating, bow, with backrest and stowage below
Side panels, padded, with shelf stowage

BAYLINER®**THE WORLD LEADER IN PLEASURE BOATS . . .**

Sleeper seats (9), convert to lounges
Steering wheel, aluminum, with padded grip
Steering, rack-and-pinion
Step pads (2), boarding
Stereo, AM/FM cassette with weather cover and
(2) all-weather speakers
Stowage in floor (vented)
Stowage shelves (under consoles)
Swim platform, integral, with handrail and
retracting ladder
Ventilation louvers (engine)
Windshield, tempered safety glass, with opening
center walk-thru section

CONSTRUCTION FEATURES

Five-year structural hull warranty
Carpeting, exterior-rated heavy-duty polyester
Electrical system, color-coded
Foam flotation
Hand-laid fiberglass
Meets or exceeds all applicable U.S. Coast Guard
safety standards
Sequential Lift Hull™ with Delta step pad
Unitized construction with glassed-in bulkheads
Vinyls, heavy-duty marine-grade, 27 oz.

OPTIONS

O-HA Prop delete
O-SQ Shrink Pack Special
O-SU Shrink Pack

POWER

130 Alpha I MerCruiser engine (115 shaft hp), 3.0L	Std
175 Alpha I MerCruiser engine (155 shaft hp), 4.3L (V-6)	Avail

TRAILER

Painted Escort™ trailer (not available with 175 V-6)	Std
Galvanized Escort™ trailer (not available with 175 V-6)	Avail
Painted Escort™ trailer with brakes	Avail
Galvanized Escort™ trailer with brakes	Avail

US MARINE PARTS ACCESSORIES

(Only available through US Marine Parts
Department)
Canvas top boot
Compass
Escort™ trailer brake kit
Hour meter
Mooring cover
Outboard motor bracket
Windshield wiper kit


ADDITIONAL INTERNATIONAL OPTIONS

O-SP International Shrink Pack


1850 Capri Bowrider (CS)

BAYLINER®

THE WORLD LEADER IN PLEASURE BOATS . . .

1851 Capri Sport (CB)**1851 Capri Sport****Boat, Motor and Trailer Package****SPECIFICATIONS**

	Std	Metric
Centerline length	17'10"	5.44m
Beam	7'0"	2.13m
Approximate weight (w/3.0L Merc engine)	1880 lbs	853kg
Fuel capacity	30 gal	113L
Draft with drive up	1'4"	.41m
Draft with drive down	2'9"	.84m
Bridge clearance	3'1"	.94m
Length (overall) on Escort™ trailer	21'7"	6.58m
Width (overall) on Escort™ trailer	8'0"	2.44m
Deadrise at transom	18°	18°

**CANVAS**

Convertible top
Side curtains
Slant cockpit cover

STANDARD FEATURES AND EQUIPMENT

Access to bow storage, lockable bi-fold doors
Aluminum gunwale trim (anodized), with vinyl guard
Beverage holders (4)
Bilge pump (1), 360 gph
Blower for forced engine compartment ventilation
Canvas storage, ventilated
Cleats: (4) mooring, (1) ski tow
Cooler, portable
Dash console, custom-formed, nonglare
Engine controls, side-mount, with trim and tilt switches in handle
Eyes (3), stainless steel
Fuel fill (aft)
Glovebox, lockable
Horn, 12v
Ignition safety switch, with lanyard
Instrumentation, analog, includes tachometer, speedometer, temperature gauge, fuel gauge, oil pressure gauge and voltmeter
Light (bow stowage)
Navigation lights
Power trim and tilt
Rails, stainless steel
Seat/bench, aft, with stowage below
Seats (2), bucket, swivel (starboard seat adjustable fore and aft)
Side panels, padded, with shelf stowage
Steering wheel, aluminum, with padded grip

Steering, rack-and-pinion
Step pads (2), boarding
Stereo, AM/FM cassette with weather cover and
(2) all-weather speakers
Stowage compartments (2), lower side panels
Stowage in floor (vented)
Stowage shelf (under console)
Sunlounge, aft, opens for access to engine and
stowage with gas assist springs
Swim platform, integral, with handrail and
retracting ladder
Ventilation louvers (engine)
Windshield, tempered safety glass, with opening
center section

CONSTRUCTION FEATURES

Five-year structural hull warranty
Carpeting, exterior-rated heavy-duty polyester
Electrical system, color-coded
Foam flotation
Hand-laid fiberglass
Meets or exceeds all applicable U.S. Coast Guard
safety standards
Sequential Lift Hull™ with Delta step pad
Unitized construction with glassed-in bulkheads
Vinyls, heavy-duty marine-grade, 27 oz.

OPTIONS

O-HA Prop delete
O-SQ Shrink Pack Special
O-SU Shrink Pack

POWER

130 Alpha I MerCruiser engine (115 shaft hp), 3.0L	Std
175 Alpha I MerCruiser engine (155 shaft hp), 4.3L (V-6)	Avail

TRAILER

Painted Escort™ trailer (not available with 175 V-6)	Std
Galvanized Escort™ trailer (not available with 175 V-6)	Avail
Painted Escort™ trailer with brakes	Avail
Galvanized Escort™ trailer with brakes	Avail

US MARINE PARTS ACCESSORIES

(Only available through US Marine Parts
Department)


Canvas top boot
Compass
Escort™ trailer brake kit
Hour meter
Mooring cover
Outboard motor bracket
Windshield wiper kit

ADDITIONAL INTERNATIONAL OPTIONS


O-SP International Shrink Pack

BAYLINER

THE WORLD LEADER IN PLEASURE BOATS...

2000 Capri Bowrider (CG)**SPECIFICATIONS**

	Std	Metric
Centerline length	19'10"	6.05m
Beam	7'4"	2.24m
Approximate weight (w/120 Force OB)	1700 lbs	771kg
Fuel capacity	30 gal	113L
Draft with engine up	1'6"	.46m
Draft with engine down	2'9"	.84m
Bridge clearance	3'10"	1.17m
Length (overall) on Escort™ trailer	23'7"	7.19m
Width (overall) on Escort™ trailer	8'0"	2.44m
Deadrise at transom	21°	21°

**CANVAS**

Bow well cover
Convertible top with boot
Side curtains
Slant cockpit cover

STANDARD FEATURES AND EQUIPMENT

Alarm, engine high temperature
Aluminum gunwale trim (anodized), with vinyl guard
Beverage holders (4)
Bilge pump (1), 360 gph
Bow cushions with backrest and stowage below
Cleats (3), mooring
Cooler, portable (below starboard jump seat)
Dash console, custom-formed, nonglare
Engine controls, side-mount, with trim switch in handle
Eyes (3), stainless steel
Fuel fill (aft)
Glovebox, lockable
Horn, 12v
Ignition safety switch, with lanyard
Instrumentation, analog, includes speedometer and fuel gauge
Jump seats, aft
Navigation lights
Power trim and tilt
Rails, stainless steel
Side panels, padded, with shelf stowage
Sleeper seats (2), convert to lounges
Steering, rack-and-pinion
Steering wheel, aluminum, with padded grip
Step pads (2), boarding
Stereo, AM/FM cassette with weather cover and (2) all-weather speakers
Stowage compartments (2), lower side panels

BAYLINER®**THE WORLD LEADER IN PLEASURE BOATS . . .****2000 Capri Bowrider (CG)**

Stowage in floor (vented)
Stowage shelves (under consoles)
Swim platform, integral, with handrail and retracting ladder
Windshield, tempered safety glass, with opening center walk-through section

CONSTRUCTION FEATURES

Five-year structural hull warranty
Carpeting, exterior-rated heavy-duty polyester
Electrical system, color-coded
Foam flotation
Hand-laid fiberglass
Meets or exceeds all applicable U.S. Coast Guard safety standards
Sequential Lift Hull™ with Delta step pad
Unitized construction with glassed-in bulkheads
Vinyls, heavy-duty marine-grade, 27 oz.

OPTIONS

O-SU Shrink Pack
O-SQ Shrink Pack Special

POWER

120 hp Force outboard	Std
150 hp Force outboard	Avail

TRAILER

Painted Escort™ trailer	Std
Galvanized Escort™ trailer	Avail

US MARINE PARTS ACCESSORIES

(Only available through US Marine Parts Department)


Compass
Escort™ trailer brake kit
Hour meter
Mooring cover
Outboard motor bracket
Tachometer
Windshield wiper kit

ADDITIONAL INTERNATIONAL OPTIONS

O-CO Canadian Export
O-SP International Shrink Pack

BAYLINER®

THE WORLD LEADER IN PLEASURE BOATS . . .




2050 Capri Bowrider (CX)

2050 Capri Bowrider Boat, Motor and Trailer Package

SPECIFICATIONS

	Std	Metric
Centerline length	19'10"	6.05m
Beam	7'4"	2.24m
Approximate weight (w/3.0L Merc engine)	2150 lbs	975kg
Fuel capacity	30 gal	113L
Draft with drive up	1'6"	.46m
Draft with drive down	2'9"	.84m
Bridge clearance	3'10"	1.17m
Length (overall) on Escort™ trailer	23'5"	7.14m
Width (overall) on Escort™ trailer	8'0"	2.44m
Deadrise at transom	21°	21°



CANVAS

Bow well cover
Convertible top
Side curtains
Slant cockpit cover

STANDARD FEATURES AND EQUIPMENT

Aluminum gunwale trim (anodized) with vinyl guard
Beverage holders (4)
Bilge pump (1), 360 gph
Blower for forced engine compartment ventilation
Canvas storage, ventilated
Cleats: (3) mooring, (1) ski
Cooler, portable (below port jump seat)
Dash console, custom-formed, nonglare
Engine controls, side-mount, with trim and tilt switches in handle
Engine cover, custom-molded, with beverage holders (2), and lounge pad
Eyes (3), stainless steel
Fuel fill (aft)
Horn, 12v
Ignition safety switch, with lanyard
Instrumentation, analog, includes tachometer, speedometer, temperature gauge, fuel gauge, oil pressure gauge and voltmeter
Jump seats, aft, stowage below, convert to sunlounge with engine cover pad
Lower engine cover, slide-out, for convenient access
Navigation lights
Power trim and tilt
Rails, stainless steel
Seating, bow, with backrest and stowage below
Side panels, padded, with shelf stowage

BAYLINER®**THE WORLD LEADER IN PLEASURE BOATS . . .**

Sleeper seats (2), convert to lounges
Steering, rack-and-pinion
Steering wheel, aluminum, with padded grip
Step pads (2), boarding
Stereo, AM/FM cassette with weather cover and
(2) all-weather speakers
Stowage compartments (2), lower side panels
Stowage in floor (vented)
Stowage shelves (under consoles)
Swim platform, integral, with handrail and
retracting ladder
Ventilation louvers (engine)
Windshield, tempered safety glass, with opening
center walk-through section

CONSTRUCTION FEATURES

Five-year structural hull warranty
Carpeting, exterior-rated heavy-duty polyester
Electrical system, color-coded
Foam flotation
Hand-laid fiberglass
Meets or exceeds all applicable U.S. Coast Guard
safety standards
Sequential Lift Hull™ with Delta step pad
Unitized construction with glassed-in bulkheads
Vinyls, heavy-duty marine-grade, 27 oz.

OPTIONS

O-HA Prop delete
O-SQ Shrink Pack Special
O-SU Shrink Pack

POWER

130 Alpha I MerCruiser engine (115 shaft hp), 3.0L	Std
175 Alpha I MerCruiser engine (155 shaft hp), 4.3L (V-6)	Avail
200 Alpha I MerCruiser engine (180 shaft hp), 5.0L	Avail

TRAILER

Painted Escort™ trailer with brakes	Std
Galvanized Escort™ trailer with brakes	Avail

US MARINE PARTS ACCESSORIES


(Only available through US Marine Parts
Department)

Canvas top boot
Compass
Hour meter
Mooring cover
Outboard motor bracket
Windshield wiper kit


ADDITIONAL INTERNATIONAL OPTIONS

O-SP International Shrink Pack

2050 Capri Bowrider (CX)

BAYLINER®**THE WORLD LEADER IN PLEASURE BOATS...****2052 Capri Cuddy (CK)****2052 Capri Cuddy****SPECIFICATIONS**

	Std	Metric
Centerline length	19'10"	6.05m
Beam	7'4"	2.24m
Approximate weight (w/3.0L Merc engine)	2150 lbs	975kg
Fuel capacity	30 gal	113L
Draft with drive up	1'6"	.46m
Draft with drive down	2'9"	.84m
Bridge clearance	4'4"	1.32m
Length (overall) on optional Escort™ trailer	23'5"	7.14m
Width (overall) on optional Escort™ trailer	8'0"	2.44m
Deadrise at transom	21°	21°

**CANVAS**

Convertible top
Side curtains
Slant cockpit cover

STANDARD FEATURES AND EQUIPMENT

Aluminum gunwale trim (anodized), with vinyl guard
Bilge pump (1), 360 gph
Blower for forced engine compartment ventilation
Canvas storage, ventilated
Cleats: (3) mooring, (1) ski tow
Cooler, portable (below port jump seat)
Dash console, custom-formed, nonglare
Doors, cuddy entry, bi-fold, lockable
Engine controls, side-mount, with trim and tilt switches in handle
Engine cover, custom-molded, with beverage holders (2), and lounge pad
Eyes (3), stainless steel
Fuel fill (aft)
Hatch, translucent, opening
Horn, 12v
Ignition safety switch, with lanyard
Instrumentation, analog, includes tachometer, speedometer, temperature gauge, fuel gauge, oil pressure gauge and voltmeter
Jump seats, aft, stowage below, convert to sunlounge with engine cover pad
Light (cuddy overhead)
Lower engine cover, slide-out, for convenient access
Navigation lights
Portable toilet
Power trim and tilt

BAYLINER®**THE WORLD LEADER IN PLEASURE BOATS . . .**

Rails, bow, stainless steel, through-bolted to deck
Side panels, padded, with shelf stowage
Sleeper seats (2), convert to lounges
Steering, rack-and-pinion
Steering wheel, aluminum, with padded grip
Step pads (2), boarding
Stereo, AM/FM cassette with weather cover and
(2) all-weather speakers
Stowage compartments (2), lower side panels
Stowage in floor (vented)
Swim platform, integral with handrail and
retracting ladder
V-berth (70" x 74") with stowage below
Ventilation louvers (engine)
Windshield, tempered safety glass, with opening
center section

CONSTRUCTION FEATURES

Five-year structural hull warranty
Carpeting, exterior-rated heavy-duty polyester
Electrical system, color-coded
Foam flotation
Hand-laid fiberglass
Headliner, polyester
Meets or exceeds all applicable U.S. Coast Guard
safety standards
Sequential Lift Hull™ with Delta step pad
Unitized construction with glassed-in bulkheads
Vinyls, heavy-duty marine-grade, 27 oz.

OPTIONS

O-HA Prop delete
O-SQ Shrink Pack Special
O-SU Shrink Pack

POWER

130 Alpha I MerCruiser engine (115 shaft hp), 3.0L	Std
175 Alpha I MerCruiser engine (155 shaft hp), 4.3L (V-6)	Avail
200 Alpha I MerCruiser engine (180 shaft hp), 5.0L	Avail

OPTIONAL TRAILERS

Painted Escort™ trailer with brakes	Avail
Galvanized Escort™ trailer with brakes	Avail

US MARINE PARTS ACCESSORIES

(Only available through US Marine Parts
Department)

Canvas top boot
Compass
Hour meter
Mooring cover
Outboard motor bracket
Windshield wiper kit

ADDITIONAL INTERNATIONAL OPTIONS

O-SP International Shrink Pack

2052 Capri Cuddy (CK)


BAYLINER®**THE WORLD LEADER IN PLEASURE BOATS...****2070 Capri Bowrider (CP)**

2070 Capri Bowrider

Boat, Motor and Trailer Package

SPECIFICATIONS

	Std	Metric
Centerline length	19'10"	6.05m
Beam	7'4"	2.24m
Approximate weight (w/120 hp Force L-Drive)	1730 lbs	785kg
Fuel capacity	30 gal	113L
Draft with drive up	1'9"	.53m
Draft with drive down	2'9"	.84m
Bridge clearance	3'10"	1.17m
Length (overall) on Escort™ trailer	22'2"	6.76m
Width (overall) on Escort™ trailer	8'0"	2.44m
Deadrise at transom	21°	21°

**CANVAS**

Bow well cover
Convertible top
Side curtains
Slant cockpit cover

STANDARD FEATURES AND EQUIPMENT

Alarm, engine high temperature
Aluminum gunwale trim (anodized), with vinyl guard
Beverage holders (4)
Bilge pump (1), 360 gph
Blower for forced engine compartment ventilation
Canvas storage, ventilated
Cleats: (3) mooring, (1) ski tow
Dash console, custom-formed, nonglare
Engine controls, side-mount, with trim switch in handle
Engine cover, custom-molded, with (2) beverage holders
Eyes (3), stainless steel
Fuel fill (aft)
Glovebox, lockable
Horn, 12v
Icebox, insulated (below aft bench seat)
Ignition safety switch, with lanyard
Instrumentation, analog, includes tachometer, speedometer, fuel gauge and voltmeter
Navigation lights
Power trim and tilt
Rails, stainless steel
Seat/bench (aft)
Seating, bow, with backrest and stowage below
Side panels, padded, with shelf stowage
Sleeper seats (2), convert to lounges
Steering, rack-and-pinion

BAYLINER®**THE WORLD LEADER IN PLEASURE BOATS...****2070 Capri Bowrider (CP)**

Steering wheel, aluminum, with padded grip
Step pads (2), boarding
Stereo, AM/FM cassette with weather cover and
(2) all-weather speakers
Stowage compartments (2), lower side panels
Stowage in floor (vented)
Stowage shelves (under consoles)
Swim platform, integral, with handrails and
retracting ladder
Ventilation louvers (engine)
Windshield, tempered safety glass, includes
opening center walk-thru section

CONSTRUCTION FEATURES

Five-year structural hull warranty
Carpeting, exterior-rated heavy-duty polyester
Electrical system, color-coded
Foam flotation
Hand-laid fiberglass
Meets or exceeds all applicable U.S. Coast Guard
safety standards
Sequential Lift Hull™ with Delta step pad
Unitized construction with glassed-in bulkheads
Vinyls, heavy-duty marine-grade, 27 oz.

OPTIONS

O-SQ Shrink Pack Special
O-SU Shrink Pack

POWER

120 hp Force L-drive/oil injection	Std
120 hp Force L-drive/oil injection	Avail

TRAILER

Painted Escort™ trailer	Std
Galvanized Escort™ trailer	Avail

US MARINE PARTS ACCESSORIES


(Only available through US Marine Parts
Department)
Canvas top boot
Compass
Escort™ trailer brake kit
Hour meter
Mooring cover
Outboard motor bracket
Windshield wiper kit

ADDITIONAL INTERNATIONAL OPTIONS

O-SP International Shrink Pack

BAYLINER®

THE WORLD LEADER IN PLEASURE BOATS...


2072 Capri Cuddy (CE)

2072 Capri Cuddy

Boat, Motor and Trailer Package

SPECIFICATIONS

	Std	Metric
Centerline length	19'10"	6.05m
Beam	7'4"	2.24m
Approximate weight (w/120 hp Force L-Drive)	1850 lbs	839kg
Fuel capacity	30 gal	113L
Draft with drive up	1'9"	.53m
Draft with drive down	2'9"	.84m
Bridge clearance	4'4"	1.32m
Length (overall) on Escort™ trailer	22'2"	6.76m
Width (overall) on Escort™ trailer	8'0"	2.44m
Deadrise at transom	21°	21°

**CANVAS**

Convertible top
Side curtains
Slant cockpit cover

STANDARD FEATURES AND EQUIPMENT

Alarm, engine high temperature
Aluminum gunwale trim (anodized), with vinyl guard
Bilge pump (1), 360 gph
Blower for forced engine compartment ventilation
Canvas storage, ventilated
Cleats: (3) mooring, (1) ski tow
Dash console, custom-formed, nonglare
Doors, cuddy entry, bi-fold, lockable
Engine controls, side-mount, with trim switch in handle
Engine cover, custom-molded, with (2) beverage holders
Eyes (3), stainless steel
Fuel fill (aft)
Hatch, translucent, opening
Horn, 12v
Icebox, insulated (below aft bench seat)
Ignition safety switch, with lanyard
Instrumentation, analog, includes tachometer, speedometer, fuel gauge and voltmeter
Light (cuddy overhead)
Navigation lights
Portable toilet
Power trim and tilt
Rails, bow, stainless steel, through-bolted to deck
Seat/bench (aft)
Side panels, padded, with shelf stowage
Sleeper seats, (2), convert to lounges

Steering, rack-and-pinion
Steering wheel, aluminum, with padded grip
Step pads (2), boarding
Stereo, AM/FM cassette with weather cover and
(2) all-weather speakers
Stowage compartments (2), lower side panels
Stowage in floor (vented)
Swim platform, integral, with handrail and
retracting ladder
V-berth (70" x 74") with stowage below
Ventilation louvers (engine)
Windshield, tempered safety glass, with opening
center section

CONSTRUCTION FEATURES

Five-year structural hull warranty
Carpeting, exterior-rated heavy-duty polyester
Electrical system, color-coded
Foam flotation
Hand-laid fiberglass
Headliner, polyester
Meets or exceeds all applicable U.S. Coast Guard
safety standards
Sequential Lift Hull™ with Delta step pad
Unitized construction with glassed-in bulkheads
Vinyls, heavy-duty marine-grade, 27 oz.

OPTIONS

O-SU Shrink Pack
O-SQ Shrink Pack Special

POWER

120 hp Force L-drive/oil injection Std

TRAILER

Painted Escort™ trailer Std
Galvanized Escort™ trailer Avail

US MARINE PARTS ACCESSORIES

(Only available through US Marine Parts
Department)


Canvas top boot
Compass
Escort™ trailer brake kit
Hour meter
Mooring cover
Outboard motor bracket
Windshield wiper kit

ADDITIONAL INTERNATIONAL OPTIONS

O-SP International Shrink Pack

BAYLINER®

THE WORLD LEADER IN PLEASURE BOATS...


Classic 19 Bowrider (CL)

Classic 19 Bowrider

Boat, Motor and Trailer Package

SPECIFICATIONS

	Std	Metric
Centerline length	18'8"	5.69m
Beam	7'6"	2.29m
Approximate weight (w/3.0L Merc engine)	1995 lbs	905kg
Fuel capacity	28 gal	106L
Draft with drive up	1'5"	.43m
Draft with drive down	2'8"	.81m
Bridge clearance	3'1"	.94m
Length (overall) on Escort™ trailer	23'0"	7.02m
Width (overall) on Escort™ trailer	8'0"	2.44m
Deadrise at transom	21°	21°

**CANVAS**

Bow well cover
Convertible top

STANDARD FEATURES AND EQUIPMENT

Aluminum gunwale trim (anodized) with vinyl guard
Beverage holders (4)
Bilge pump (1), 360 gph
Blower for forced engine compartment ventilation
Cleats, (4) mooring
Dash, nonglare
Engine controls, side-mount, with trim and tilt switches in handle
Engine cover, custom-molded, with beverage holders (2), cutting board, and lounge pad
Eyes (3), stainless steel
Fuel fill (aft)
Horn, 12v
Ignition safety switch, with lanyard
Instrumentation, analog, includes tachometer, speedometer, temperature gauge, fuel gauge, oil pressure gauge and voltmeter
Jump seats, aft, convert to sunlounge with engine cover pad
Navigation lights
Power trim and tilt
Rails, stainless steel
Seating, bow, with backrest and stowage below
Side panels, padded
Sleeper seats (2), convert to lounges
Steering, rack-and-pinion
Steering wheel



THE WORLD LEADER IN PLEASURE BOATS . . .

Classic 19 Bowrider (CL)

Stereo, AM/FM cassette with weather cover and
(2) all-weather speakers
Stowage in floor (vented)
Stowage shelves (under consoles)
Swim platform, with handrail and retracting
ladder
Ventilation louvers (engine)
Windshield, tempered safety glass, with opening
center walk-through section

CONSTRUCTION FEATURES

Five-year structural hull warranty
Carpeting, exterior-rated heavy-duty polyester
Electrical system, color-coded
Foam flotation
Hand-laid fiberglass
Meets or exceeds all applicable U.S. Coast Guard
safety standards
Sequential Lift Hull™
Unitized construction with glassed-in bulkheads
Vinyls, heavy-duty marine-grade, 27 oz.

OPTIONS

O-HA Prop delete
O-SQ Shrink Pack Special
O-SU Shrink Pack

POWER

130 Alpha I MerCruiser engine
(115 shaft hp), 3.0L Std

TRAILER

Galvanized Escort™ trailer Std

US MARINE PARTS ACCESSORIES


(Only available through US Marine Parts
Department)
Compass
Escort™ trailer brake kit
Hour meter
Mooring cover
Windshield wiper kit

ADDITIONAL INTERNATIONAL OPTIONS

O-SP International Shrink Pack

BAYLINER

THE WORLD LEADER IN PLEASURE BOATS...


Classic 19 Cuddy (CN)

Classic 19 Cuddy

Boat, Motor and Trailer Package

SPECIFICATIONS

	Std	Metric
Centerline length	18'8"	5.69m
Beam	7'6"	2.29m
Approximate weight (w/3.0L Merc engine)	1995 lbs	905kg
Fuel capacity	28 gal	106L
Draft with drive up	1'5"	.43m
Draft with drive down	2'8"	.81m
Bridge clearance	3'8"	1.12m
Length (overall) on optional Escort™ trailer	23'0"	7.02m
Width (overall) on optional Escort™ trailer	8'0"	2.44m
Deadrise at transom	21°	21°

**CANVAS**

Convertible top

STANDARD FEATURES AND EQUIPMENT

Aluminum gunwale trim (anodized), with vinyl guard
 Bilge pump (1), 360 gph

Blower for forced engine compartment ventilation
 Bow rails, stainless steel, through-bolted to deck
 Cleats, (3) mooring
 Dash console, nonglare
 Doors, cuddy entry, bi-fold, lockable
 Engine controls, side-mount, with trim and tilt switches in handle
 Engine cover, custom-molded, with beverage holders (2), cutting board, and lounge pad
 Eyes (3), stainless steel
 Fuel fill (aft)
 Hatch, translucent, opening
 Horn, 12v
 Ignition safety switch, with lanyard
 Instrumentation, analog, includes tachometer, speedometer, temperature gauge, fuel gauge, oil pressure gauge and voltmeter
 Jump seats, aft, convert to sunlounge with engine cover pad
 Light (cuddy overhead)
 Navigation lights
 Portable toilet
 Power trim and tilt
 Side panels, padded
 Sleeper seats (2), convert to lounges
 Steering, rack-and-pinion
 Steering wheel
 Stereo, AM/FM cassette with weather cover and (2) all-weather speakers
 Stowage in floor (vented)

BAYLINER®**THE WORLD LEADER IN PLEASURE BOATS . . .****Classic 19 Cuddy (CN)**

Swim platform, with handrail and retracting ladder
V-berth (70" x 74") with stowage below
Ventilation louvers (engine)
Windshield, tempered safety glass, with opening center section

CONSTRUCTION FEATURES

Five-year structural hull warranty
Carpeting, exterior-rated heavy-duty polyester
Electrical system, color-coded
Foam flotation
Hand-laid fiberglass
Headliner, polyester
Meets or exceeds all applicable U.S. Coast Guard safety standards
Sequential Lift Hull™
Unitized construction with glassed-in bulkheads
Vinyls, heavy-duty marine-grade, 27 oz.

OPTIONS

O-HA Prop delete
O-SQ Shrink Pack Special
O-SU Shrink Pack

POWER

130 Alpha I MerCruiser engine
(115 shaft hp), 3.0L Std

TRAILER

Galvanized Escort™ trailer Std

US MARINE PARTS ACCESSORIES

(Only available through US Marine Parts Department)

Compass
Escort™ trailer brake kit
Hour meter
Mooring cover
Windshield wiper kit

ADDITIONAL INTERNATIONAL OPTIONS

O-SP International Shrink Pack